

Fabio
FULFARO

Mercadante S, Porzio G, Fulfaro F, Aielli F, Verna L, Ficorella C, Casuccio A, Riina S, Intravaia G, Mangione S. Switching from transdermal drugs: an observational "n of 1" study of fentanyl and buprenorphine.

J Pain Symptom Manage. 2007 Nov;34(5):532-8. Epub 2007 Jul 16.

Dieli F, Vermijlen D, Fulfaro F, Caccamo N, Meraviglia S, Cicero G, Roberts A, Buccheri S, D'Asaro M, Gebbia N, Salerno A, Eberl M, Hayday AC. Targeting human $\{\gamma\delta\}$ T cells with zoledronate and interleukin-2 for immunotherapy of hormone-refractory prostate cancer.

Cancer Res. 2007 Aug 1;67(15):7450-7.

Mercadante S, Fulfaro F. Management of painful bone metastases.

Curr Opin Oncol. 2007 Jul;19(4):308-14.

Gargano G, Calcara D, Corsale S, Agnese V, Intrivici C, Fulfaro F, Pantuso G, Cajozzo M, Morello V, Tomasino RM, Ottini L, Colucci G, Bazan V, Russo A. Aberrant methylation within RUNX3 CpG island associated with the nuclear and mitochondrial microsatellite instability in sporadic gastric cancers. Results of a GOIM (Gruppo Oncologico dell'Italia Meridionale) prospective study.

Ann Oncol. 2007 Jun;18 Suppl 6:vi103-9.

Badalamenti G, Rodolico V, Fulfaro F, Cascio S, Cipolla C, Cicero G, Incorvaia L, Sanfilippo M, Intrivici C, Sandonato L, Pantuso G, Latteri MA, Gebbia N, Russo A. Gastrointestinal stromal tumors (GISTs): focus on histopathological diagnosis and biomolecular features.

Ann Oncol. 2007 Jun;18 Suppl 6:vi136-40.

Campisi G, Di Fede O, Musciotto A, Lo Casto A, Lo Muzio L, Fulfaro F, Badalamenti G, Russo A, Gebbia N. Bisphosphonate-related osteonecrosis of the jaw (BRONJ): run dental management designs and issues in diagnosis.

Ann Oncol. 2007 Jun;18 Suppl 6:vi168-72.

Di Liberto C, Caroprese M, Pizzo G, Compilato D, Fulfaro F, Rinaldi T, Muzio LL, Campisi G. [Oral complications in patients with head and neck cancer after radio-chemotherapy. Mucositis and xerostomia]

Recenti Prog Med. 2007 May;98(5):302-14. Italian.

Mercadante SL, Berchovich M, Casuccio A, Fulfaro F, Mangione S. A prospective randomized study of corticosteroids as adjuvant drugs to opioids in advanced cancer patients.

Am J Hosp Palliat Care. 2007 Feb-Mar;24(1):13-9.

Cipolla C, Fulfaro F, Sandonato L, Fricano S, Pantuso G, Grassi N, Vieni S, Valerio MR, Lo Dico R, Gebbia N, Latteri MA. Clinical presentation and treatment of gastrointestinal stromal tumors.

Tumori. 2006 Jul-Aug;92(4):279-84.

Cicero G, Fulfaro F, Caraceni A, Arcara C, Badalamenti G, Intrivici C, Gebbia N. A case of guillain-barré syndrome in a patient with non small cell lung cancer treated with chemotherapy.

J Chemother. 2006 Jul;18(3):325-7.

Arcara C, Fulfaro F, Badalamenti G, Gebbia N, Arcara M. A case of squamocellular uterine cervix carcinoma metastatic to the skin with enterocutaneous fistula.

Tumori. 2006 May-Jun;92(3):264-6.

Gargano G, Agnese V, Calò V, Corsale S, Augello C, Bruno L, La Paglia L, Gullo A, Ottini L, Russo A, Fulfarò F, Rinaldi G, Crosta A, Cicero G, Majorana O, Palmeri L, Cipolla C, Agrusa A, Gulotta G, Morello V, Di Fede G, Adamo V, Colucci G, Tomasino RM, Valerio MR, Bazan V, Russo A. Detection and quantification of mammaglobin in the blood of breast cancer patients: can it be useful as a potential clinical marker? Preliminary results of a GOIM (Gruppo Oncologico dell'Italia Meridionale) prospective study.

Ann Oncol. 2006 Jun;17 Suppl 7:vii41-vii45.

Verderame F, Russo A, Di Leo R, Badalamenti G, Santangelo D, Cicero G, Valerio MR, Gulotta G, Tomasello G, Gebbia N, Fulfarò F. Gemcitabine and oxaliplatin combination chemotherapy in advanced biliary tract cancers.

Ann Oncol. 2006 Jun;17(suppl_7):vii68-vii72.

Mercadante S, Porzio G, Ferrera P, Fulfarò F, Aielli F, Ficorella C, Verna L, Tirelli W, Villari P, Arcuri E. Low morphine doses in opioid-naive cancer patients with pain.

J Pain Symptom Manage. 2006 Mar;31(3):242-7.

Leto G, Badalamenti G, Arcara C, Crescimanno M, Flandina C, Tumminello FM, Incorvaia L, Gebbia N, Fulfarò F. Effects of zoledronic acid on proteinase plasma levels in patients with bonemetastases.

Anticancer Res. 2006 Jan-Feb;26(1A):23-6.

Valerio MR, Tagliaferri P, Raspagliesi F, Fulfarò F, Badalamenti G, Arcara C, Cicero G, Russo A, Venuta S, Guarneri G, Gebbia N. A phase II study of pegylated liposomal doxorubicin oxaliplatin and cyclophosphamide as second-line treatment in relapsed ovarian carcinoma.

Int J Gynecol Cancer. 2006 Jan-Feb;16 Suppl 1:79-85.

Russo A, Corsale S, Agnese V, Macaluso M, Cascio S, Bruno L, Surmacz E, Dardanoni G, Valerio MR, Vieni S, Restivo S, Fulfarò F, Tomasino RM, Gebbia N, Bazan V. TP53 mutations and S-phase fraction but not DNA-ploidy are independent prognostic indicators in laryngeal squamous cell carcinoma.

J Cell Physiol. 2006 Jan;206(1):181-8.

Leto G, Incorvaia L, Badalamenti G, Arcara C, Fulfarò F, Tumminello FM, Flandina C, Crescimanno M, Gebbia N. Tumor markers in urogynaecological tumors.

Tunis Med. 2005 Dec;83 Suppl 12:28.

Correale P, Fulfarò F, Marsili S, Cicero G, Bajardi E, Intrivici C, Vuolo G, Carli AF, Caraglia M, Del Prete S, Greco E, Gebbia N, Francini G. Gemcitabine (GEM) plus oxaliplatin, folinic acid, and 5-fluorouracil (FOLFOX-4) in patients with advanced gastric cancer.

Cancer Chemother Pharmacol. 2005 Dec;56(6):563-8. Epub 2005 Jul 23.

Fulfarò F, Leto G, Badalamenti G, Arcara C, Cicero G, Valerio MR, Di Fede G, Russo A, Vitale A, Rini GB, Casuccio A, Intrivici C, Gebbia N. The use of zoledronic acid in patients with bone metastases from prostate carcinoma: effect on analgesic response and bone metabolism biomarkers.

J Chemother. 2005 Oct;17(5):555-9.

Siragusa S, Arcara C, Malato A, Anastasio R, Valerio MR, Fulfaro F, Lo Coco L, Grimaudo S, Bajardi G, Abbadessa V, Gebbia N. Home therapy for deep vein thrombosis and pulmonary embolism in cancer patients.

Ann Oncol. 2005 May;16(suppl_4):iv136-iv139.

Mercadante S, Fulfaro F. World Health Organization guidelines for cancer pain: a reappraisal.

Ann Oncol. 2005 May;16 Suppl 4:iv132-iv135.

Mercadante S, Fusco F, Valle A, Fulfaro F, Casuccio A, Silvestro S, Donelli E. Factors involved in gastrointestinal bleeding in advanced cancer patients followed at home.

Support Care Cancer. 2004 Feb;12(2):95-8. Epub 2003 Dec 12.

Fulfaro F, Valerio MR, Badalamenti G, Gebbia N, Russo A. Antiplastic drug combinations with ifosfamide: an update.

Oncology. 2003;65 Suppl 2:21-30.

Dieli F, Gebbia N, Poccia F, Caccamo N, Montesano C, Fulfaro F, Arcara C, Valerio MR, Meraviglia S, Di Sano C, Sireci G, Salerno A. Induction of gammadelta T-lymphocyte effector functions by bisphosphonate zoledronic acid in cancer patients in vivo.

Blood. 2003 Sep 15;102(6):2310-1

Mercadante S, Bianchi M, Villari P, Ferrera P, Casuccio A, Fulfaro F, Gebbia V. Opioid plasma concentration during switching from morphine to methadone: preliminary data.

Support Care Cancer. 2003 May;11(5):326-31. Epub 2003 Apr 3.

Bazan V, Migliavacca M, Zanna I, Tubiolo C, Corsale S, Calò V, Amato A, Cammareri P, Latteri F, Grassi N, Fulfaro F, Porcasi R, Morello V, Nuara RB, Dardanoni G, Salerno S, Valerio MR, Dusonchet L, Gerbino A, Gebbia N, Tomasino RM, Russo A. DNA ploidy and S-phase fraction, but not p53 or NM23-H1 expression, predict outcome in colorectal cancer patients. Result of a 5-year prospective study.

J Cancer Res Clin Oncol. 2002 Dec;128(12):650-8.

Mercadante S, Fulfaro F, Casuccio A. Pain mechanisms involved and outcome in advanced cancer patients with possible indications for celiac plexus block and superior hypogastric plexus block.

Tumori. 2002 May-Jun;88(3):243-5.

Mercadante S, Villari P, Ferrera P, Casuccio A, Fulfaro F. Rapid titration with intravenous morphine for severe cancer pain and immediate oral conversion.

Cancer. 2002 Jul 1;95(1):203-8.

Mercadante S, Fulfaro F, Casuccio A. A randomised controlled study on the use of anti-inflammatory drugs in patients with cancer pain on morphine therapy: effects on dose-escalation and a pharmacoeconomic analysis.

Eur J Cancer. 2002 Jul;38(10):1358-63.

Mercadante S, Villari P, Fulfaro F. Rifampicin in opioid-induced itching.

Support Care Cancer. 2001 Sep;9(6):467-8.

Mercadante S, Fulfaro F, Casuccio A. The use of corticosteroids in home palliative care.

Support Care Cancer. 2001 Jul;9(5):386-9.

Ripamonti C, Fulfaro F. Pathogenesis and pharmacological treatment of bone pain in skeletal metastases.

Q J Nucl Med. 2001 Mar;45(1):65-77. Review.

Mercadante S, Villari P, Fulfaro F. Gabapentin for opioid-related myoclonus in cancer patients.

Support Care Cancer. 2001 May;9(3):205-6.

Mercadante S, Casuccio A, Fulfaro F, Groff L, Boffi R, Villari P, Gebbia V, Ripamonti C. Switching from morphine to methadone to improve analgesia and tolerability in cancer patients: a prospective study.

J Clin Oncol. 2001 Jun 1;19(11):2898-904.

Mercadante S, Fulfaro F, Casuccio A. Pattern of drug use by advanced cancer patients followed at home.

J Palliat Care. 2001 Spring;17(1):37-40.

Mercadante S, Fulfaro F, Dabbene M. Methadone in treatment of tenesmus not responding to morphine escalation.

Support Care Cancer. 2001 Mar;9(2):129-30.

Mercadante S, Calderone L, Villari P, Serretta R, Sapio M, Casuccio A, Fulfaro F. The use of pilocarpine in opioid-induced xerostomia.

Palliat Med. 2000 Nov;14(6):529-31.

Ripamonti C, Fulfaro F. Malignant bone pain: pathophysiology and treatments.

Curr Rev Pain. 2000;4(3):187-96.

Mercadante S, Casuccio A, Fulfaro F. The course of symptom frequency and intensity in advanced cancer patients followed at home.

J Pain Symptom Manage. 2000 Aug;20(2):104-12.

Mercadante S, Casuccio A, Pumo S, Fulfaro F. Opioid responsiveness-primary diagnosis relationship in advanced cancer patients followed at home.

J Pain Symptom Manage. 2000 Jul;20(1):27-34.

Mercadante S, Fulfaro F. An unusual coma after therapy for bone pain.

J Pain Symptom Manage. 2000 May;19(5):323-4.

Mercadante S, Fulfaro F, Casuccio A.

The impact of home palliative care on symptoms in advanced cancer patients.

Support Care Cancer. 2000 Jul;8(4):307-10.

Mercadante S, Barresi L, Casuccio A, Fulfaro F. Gastrointestinal bleeding in advanced cancer patients.

J Pain Symptom Manage. 2000 Mar;19(3):160-2.

Mercadante S, Casuccio A, Pumo S, Fulfaro F. Factors influencing the opioid response in advanced cancer patients with pain followed at home: the effects of age and gender.

Support Care Cancer. 2000 Mar;8(2):123-30.

Mercadante S, Fulfaro F, Casuccio A, Barresi L. Investigation of an opioid response categorization in advanced cancer patients.
J Pain Symptom Manage. 1999 Nov;18(5):347-52.

Mercadante S, Fulfaro F. Alternatives to oral opioids for cancer pain.
Oncology (Williston Park). 1999 Feb;13(2):215-20, 225; discussion 226-9.

Ripamonti C, Fulfaro F. Taste alterations in cancer patients.
J Pain Symptom Manage. 1998 Dec;16(6):349-51.

Fulfaro F, Quagliuolo V, De Conno F, Ripamonti C. Carcinoid somatostatinoma of the duodenum.
Eur J Surg Oncol. 1998 Dec;24(6):601-4.

Fulfaro F, Casuccio A, Ticozzi C, Ripamonti C. The role of bisphosphonates in the treatment of painful metastatic bone disease: a review of phase III trials.
Pain. 1998 Dec;78(3):157-69.

Ripamonti C, Fulfaro F, Ticozzi C, Casuccio A, De Conno F. Role of pamidronate disodium in the treatment of metastatic bone disease.
Tumori. 1998 Jul-Aug;84(4):442-55.

Ripamonti C, Fulfaro F, Polastri D, De Conno F, Laffranchi A, Moliterni A. Pain relief and sclerosis of bone metastases in a patient with breast cancer treated with tamoxifen, radiotherapy and pamidronate disodium: which treatment helped?
J Pain Symptom Manage. 1998 Aug;16(2):73-6.

Ripamonti C, Fulfaro F, Bruera E. Dyspnoea in patients with advanced cancer: incidence, causes and treatments.
Cancer Treat Rev. 1998 Feb;24(1):69-80.

Ripamonti C, Zecca E, Brunelli C, Fulfaro F, Villa S, Balzarini A, Bombardieri E, De Conno F. A randomized, controlled clinical trial to evaluate the effects of zinc sulfate on cancer patients with taste alterations caused by head and neck irradiation.
Cancer. 1998 May 15;82(10):1938-45.

Licitra L, Capri G, Fulfaro F, Grandi C, Tarenzi E, Cavina R, Gianni L. Biweekly paclitaxel and cisplatin in patients with advanced head and neck carcinoma. A phase II trial.
Ann Oncol. 1997 Nov;8(11):1157-8.

Capri G, Tarenzi E, Fulfaro F, Gianni L. The role of taxanes in the treatment of breast cancer.
Semin Oncol. 1996 Feb;23(1 Suppl 2):68-75.

Gianni L, Munzone E, Capri G, Fulfaro F, Tarenzi E, Villani F, Spreafico C, Laffranchi A, Caraceni A, Martini C, et al. Paclitaxel by 3-hour infusion in combination with bolus doxorubicin in women with untreated metastatic breast cancer: high antitumor efficacy and cardiac effects in a dose-finding and sequence-finding study.
J Clin Oncol. 1995 Nov;13(11):2688-99.

Gianni L, Munzone E, Capri G, Villani F, Spreafico C, Tarenzi E, Fulfaro F, Caraceni A, Martini C, Laffranchi A, et al. Paclitaxel in metastatic breast cancer: a trial of two doses by a 3-hour infusion

in patients with disease recurrence after prior therapy with anthracyclines.
J Natl Cancer Inst. 1995 Aug 2;87(15):1169-75.

Scaioli V, Caraceni A, Martini C, Palazzini E, Tarenzi E, Fulfaro F, Munzone E. Visual evoked potentials findings in course of paclitaxel doxorubicin combination chemotherapy. Report of a case.
J Neurooncol. 1995;25(3):221-5.

Capri G, Munzone E, Tarenzi E, Fulfaro F, Gianni L, Caraceni A, Martini C, Scaioli V. Optic nerve disturbances: a new form of paclitaxel neurotoxicity.
J Natl Cancer Inst. 1994 Jul 20;86(14):1099-101.